

Track Current Limiter

(Non-Compliant Title 24)

Circuit: 2 Voltage: 120 Mount: Surface

Applications:

Current Limiter limits the amount of electrical load placed on a surface mounted 2C track run 120V. Current Limiter only to be used on EUTRAC track system **230... / 233...**

Specifications:

Cover: Molded of high impact **UL** approved polycarbonate material color matched to track and accessories. Cover is secured to base by means of 2 theft resistant fasteners. (Spanner not included) Cover has 2 knockout locations to accept power. Colors available are white, black silver.

Base: One piece construction heavy duty #16 ga. stamped steel construction. Base is designed to accommodate a single end feed or "I" coupler configuration. Base is equipped with 4 knockout locations to accept power.


Circuit Breaker: 1 pole circuit breaker features an ON / OFF mechanical switch with markings. Breaker snaps in place on base. Color matched to track and other accessories. (White: -1, Black: -2) **Breakers ordered as a separate line item.** Breakers are available in 3, 5, 8 & 12 amps.

End Feeds: Fabricated of high impact **UL** approved material colored to match track and other accessories. Feed is equipped with nickel plated line voltage springs and is available in ground contact left or right. Feeds are available to accommodate track with or without data bus applications.

Installation:

See Installation Instruction Sheets for safety instructions, mounting and wiring instructions. Product must be installed by a qualified licensed electrician.

Item: Quantity: Project:



Overall Size: 5 5/8" x 5 5/8" x 1 15/16"
(143mm x 143mm x 49mm)

Available Models:

-Single end feeds:

- 198-00-1101-** ground contact right
- 198-00-1102-** ground contact left
- 198-00-2101-** W/DB- ground contact right
- 198-00-2102-** W/DB- ground contact left

-I Coupler:


- 198-00-1108-**
- 198-00-2108-** W/DB

*W/DB: with Data Bus

*Colors: White: -1, Black:-2,-3 Silver

This information is subject to change without notice.

Notes:






Single Feed Non-Compliant Title 24



"I" Coupler Non-Compliant Title 24



Circuit Breaker Operation:

If the track is overloaded the circuit breaker will trip and shut down power to the track. The breaker can be reset when the overall sum of the fixture wattages are reduced below the circuit breaker rating.